



**Request for Proposal, 16MCO11**  
**In response refer to RFP No. 16MCO511 Addendum 1 (one)**  
**February 24, 2016**

Gentlemen/Ladies:

Please note that there has been a change made to the original request for proposal. These changes are provided on the following pages of this addendum. This document also contains questions submitted by prospective bidders and responses to those questions from Midland County, Vandergriff, and Dunaway.



# VANDERGRIFF GROUP

ARCHITECTS • PC

312 N. BIG SPRING  
SUITE 100  
MIDLAND, TEXAS 79701  
(432) 687-0781  
FAX (432) 687-5205

## ADDENDUM

**PROJECT:**

Midland County Amphitheatre  
**Concrete Bid Package**  
Midland, Texas

ADDENDUM NO. 1

PAGES: 14

DATE: February 24, 2016

ARCHITECTS PROJECT NO.: 01515

**OWNER:**

Midland County

**TO:** All persons that have project manuals and drawings.

---

The following items take precedence over drawings and project manual for the above named project and in closing a contract shall become a part of the contract documents.

Where any item called for in the specifications or indicated on the drawings is supplemental here, the original requirements remain in effect. Consider all supplemental conditions as added to the specifications and drawings.

Where any original item is amended, voided and superseded here, the provisions of such items not specifically amended, voided or superseded remain in effect.

---

### ARCHITECTURAL

- |        |   |
|--------|---|
| Item 1 | Re: Contract; Change number of pages of Section 01 45 29 – Testing Laboratory Services from three to four pages.  |
| Item 2 | Re: Contract and Project Manual; Omit Section 04 20 00 – Unit Masonry.  |
| Item 3 | Re: Contract and Project Manual; Omit Section 05 50 00 – Metal Fabrications.  |
| Item 4 | Re: Contract and Project Manual; Add Section 05 52 13 – Pipe and Tube Railings, 4 pages. Banner Pole and Concrete base shall be provided in the Concrete Package. |
-

---

Item 5	Re: Contract and Project Manual; Add Section 10 75 00 – Flagpoles, 3 pages. The banner poles and foundation will be added to scope.
Item 6	Re: Contract and Project Manual; All references to Section 01 35 33 – Environmental Procedures will be corrected to “Section 01 35 43 – Environmental Procedures.”
Item 7	Re: Project Manual; Replace Section 00 01 10 – Table of Contents with attached and revised Section 00 01 10 – Table of Contents.
Item 8	Re: Construction Documents; Architectural Sheet A-101; Keynote 5.08: Banner pole and concrete base shall be provided in Concrete Package.
Item 9	Re: Construction Documents; Architectural Sheet A-122; Detail 10/A-122 should be deleted from scope of the Concrete Package.
Item 10	Re: Construction Documents; Architectural Sheet A-101, A-110, A-121, A-122: Add all pipe railings, guards, and sleeves to the Concrete Package.
Item 11	Re: Construction Documents; Architectural Sheet SD-01; For additional information and scope to the Concrete Package.
Item 12	Re: Submitted Questions and Answers: 1.) Will a permit be required and who will pay for it? Answer: A permit will be required and will be paid for by the County.
Item 13	Re: Submitted Questions and Answers: 2.) Will other subs not under our contract list us as additional insured for our General Contractor? Answer: We will require that the other contractor’s list the other subs on site as additional insured on each contract.
Item 14	Re: Submitted Questions and Answers: 3.) Are there any events booked during expected construction time frame that will conflict and shut us down? Answer: There will be events occurring during the project of which none will shut down the project. Attached is a copy of the current schedule. The days with “x” on it are high volume days.

---

## SECTION 05 52 13

### PIPE AND TUBE RAILINGS

#### PART 1 – GENERAL

##### 1.01 SUMMARY

- A. This Section includes the following:
  - 1. Steel pipe.

##### 1.02 PERFORMANCE REQUIREMENTS

- A. Control of Corrosion: Prevent galvanic action and other forms of corrosion by insulating metals and other materials from direct contact with incompatible materials.

##### 1.03 SUBMITTALS

- A. Product Data: For the following:
  - 1. Manufacturer's product lines of mechanically connected railings.
- B. Shop Drawings: Include plans, elevations, sections, details, and attachments to other work.

##### 1.04 QUALITY ASSURANCE

- A. Source Limitations: Obtain each type of railing through one source from a single manufacturer.
- B. Welding: Qualify procedures and personnel according to the following:
  - 1. AWS D1.1, "Structural Welding Code--Steel."
  - 2. AWS D1.2, "Structural Welding Code--Aluminum."
  - 3. AWS D1.6, "Structural Welding Code--Stainless Steel."

#### PART 2 - PRODUCTS

##### 2.01 METALS, GENERAL

- A. Metal Surfaces, General: Provide materials with smooth surfaces, without seam marks, roller marks, rolled trade names, stains, discolorations, or blemishes.
- B. Brackets, Flanges, and Anchors: Cast or formed metal of same type of material and finish as supported rails, unless otherwise indicated.

##### 2.02 STEEL AND IRON

- A. Recycled Content of Steel Products: Provide products with an average recycled content of steel products so postconsumer recycled content plus one-half of preconsumer recycled content is not less than 25 percent.
- B. Pipe: ASTM A 53/A 53M, Type F or Type S, Grade A, Standard Weight (Schedule 40), unless another grade and weight are required by structural loads.

1. Provide galvanized finish for exterior installations and where indicated.

C. Plates, Shapes, and Bars: ASTM A 36/A 36M.

### **2.03 FASTENERS**

A. General: Provide the following:

1. Steel Railings: Plated steel fasteners complying with ASTM B 633, Class Fe/Zn 25 for electrodeposited zinc coating.

B. Fasteners for Interconnecting Railing Components:

1. Provide concealed fasteners for interconnecting railing components and for attaching them to other work, unless otherwise indicated.

### **2.04 MISCELLANEOUS MATERIALS**

A. Shop Primer for Galvanized Steel: Zinc-dust, zinc-oxide primer formulated for priming zinc-coated steel and for compatibility with finish paint systems indicated, and complying with SSPC-Paint 5.

B. Galvanizing Repair Paint: High-zinc-dust-content paint for regalvanizing welds in steel, complying with SSPC-Paint 20.

### **2.05 FABRICATION**

A. General: Fabricate railings to comply with requirements indicated for design, dimensions, member sizes and spacing, details, finish, and anchorage.

B. Assemble railings in the shop to greatest extent possible to minimize field splicing and assembly. Disassemble units only as necessary for shipping and handling limitations. Clearly mark units for reassembly and coordinated installation. Use connections that maintain structural value of joined pieces.

C. Cut, drill, and punch metals cleanly and accurately. Remove burrs and ease edges to a radius of approximately 1/32 inch, unless otherwise indicated. Remove sharp or rough areas on exposed surfaces.

D. Form work true to line and level with accurate angles and surfaces.

E. Fabricate connections that will be exposed to weather in a manner to exclude water. Provide weep holes where water may accumulate.

F. Cut, reinforce, drill, and tap as indicated to receive finish hardware, screws, and similar items.

G. Connections: Fabricate railings with either welded or nonwelded connections, unless otherwise indicated.

H. Welded Connections: Cope components at connections to provide close fit, or use fittings designed for this purpose. Weld all around at connections, including at fittings.

1. Use materials and methods that minimize distortion and develop strength and corrosion resistance of base metals.
  2. Obtain fusion without undercut or overlap.
  3. Remove flux immediately.
  4. At exposed connections, finish exposed surfaces smooth and blended so no roughness shows after finishing and welded surface matches contours of adjoining surfaces.
- I. Nonwelded Connections: Connect members with concealed mechanical fasteners and fittings. Fabricate members and fittings to produce flush, smooth, rigid, hairline joints.
1. Fabricate splice joints for field connection using an epoxy structural adhesive if this is manufacturer's standard splicing method.
- J. Form changes in direction as follows:
1. By bending or by inserting prefabricated elbow fittings.
- K. Form simple and compound curves by bending members in jigs to produce uniform curvature for each repetitive configuration required; maintain cross section of member throughout entire bend without buckling, twisting, cracking, or otherwise deforming exposed surfaces of components.
- L. Close exposed ends of railing members with prefabricated end fittings.
- M. Toe Boards: Where indicated, provide toe boards at railings around openings and at edge of open-sided floors and platforms. Fabricate to dimensions and details indicated.

## **2.06 STEEL AND IRON FINISHES**

- A. Galvanized Railings:
1. Hot-dip galvanize steel railings, including hardware, after fabrication.
  2. Comply with ASTM A 123/A 123M for hot-dip galvanized railings.
  3. Comply with ASTM A 153/A 153M for hot-dip galvanized hardware.
- B. Fill vent and drain holes that will be exposed in the finished Work, unless indicated to remain as weep holes, by plugging with zinc solder and filing off smooth.
- C. For galvanized railings, provide hot-dip galvanized fittings, brackets, fasteners, sleeves, and other ferrous components.
- D. Preparation for Shop Priming: After galvanizing, thoroughly clean railings of grease, dirt, oil, flux, and other foreign matter, and treat with metallic-phosphate process.

## **PART 3 - EXECUTION**

### **3.01 INSTALLATION, GENERAL**

- A. Fit exposed connections together to form tight, hairline joints.
- B. Perform cutting, drilling, and fitting required for installing railings. Set railings accurately in location, alignment, and elevation; measured from established lines and levels and free of rack.

1. Do not weld, cut, or abrade surfaces of railing components that have been coated or finished after fabrication and that are intended for field connection by mechanical or other means without further cutting or fitting.
2. Set posts plumb within a tolerance of 1/16 inch in 3 feet.
3. Align rails so variations from level for horizontal members and variations from parallel with rake of steps and ramps for sloping members do not exceed 1/4 inch in 12 feet.

C. Adjust railings before anchoring to ensure matching alignment at abutting joints.

### **3.02 RAILING CONNECTIONS**

- A. Nonwelded Connections: Use mechanical or adhesive joints for permanently connecting railing components. Use wood blocks and padding to prevent damage to railing members and fittings. Seal recessed holes of exposed locking screws using plastic cement filler colored to match finish of railings.
- B. Welded Connections: Use fully welded joints for permanently connecting railing components. Comply with requirements for welded connections in Part 2 "Fabrication" Article whether welding is performed in the shop or in the field.

### **3.03 ADJUSTING AND CLEANING**

- A. Galvanized Surfaces: Clean field welds, bolted connections, and abraded areas and repair galvanizing to comply with ASTM A 780.

### **3.04 PROTECTION**

- A. Restore finishes damaged during installation and construction period so no evidence remains of correction work. Return items that cannot be refinished in the field to the shop; make required alterations and refinish entire unit, or provide new units.

**END OF SECTION 05 52 13**

## SECTION 10 75 00

### FLAGPOLES

#### PART 1 – GENERAL

##### 1.01 DESCRIPTION

- A. Fixed, ground set, uniform conical taper, seamless tube aluminum flagpole.

##### 1.02 REFERENCES

- A. Aluminum Association (AA): Aluminum Finishes
- B. American Society for Testing and Materials (ASTM):
  - 1. ASTM B 241 – Standard Specification for Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube.
  - 2. ASTM B 597 – Standard Practice for Heat Treatment of Aluminum Alloys.
- C. National Association of Architectural Metal Manufacturers (NAAMM): NAAMM FP 1001 – Guide Specifications for Design of Metal Flagpoles.

##### 1.03 SUBMITTALS

- A. Submit under provisions of Section 01 33 00.
- B. Manufacturer's data sheets on each product to be used, including:
  - 1. Preparation instructions and recommendations.
  - 2. Storage and handling requirements and recommendations.
  - 3. Installation instructions.
- C. Shop Drawings:
  - 1. Include details of foundation system.

##### 1.04 QUALITY ASSURANCE

- A. Source
  - 1. Obtain each flagpole as a complete unit including fittings, accessories, bases, and anchorage devices.

##### 1.05 DELIVERY, STORAGE, AND HANDLING

- A. Spiral wrap flagpoles with heavy paper and enclose in a hard fiber tube or other protective container.
- B. Store products in a manufacturer's unopened packaging until ready for installation.
- C. Keep flagpole and accessories covered and dry to prevent soiling or damage.
- D. Handle with protective gloves to prevent unwanted distortion.



## 1.06 PROJECT CONDITIONS

- A. Structural Performance: Provide flagpole assemblies, including anchorages and supports, capable of withstanding the effects of wind loads, determined according to NAAMM FP 1001 for specified ground speed.

## PART 2 – PRODUCTS

### 2.01 MANUFACTURERS

- A. Basis of Design:
  - 1. American Flagpole & Flag Co.: Lake Elmo, MN 55042, ASD. Toll Free Tel: (800)426-6235. Fax: (651) 777-1925. Email: [info@aflag.com](mailto:info@aflag.com). Web: [www.aflag.com](http://www.aflag.com).

### 2.02 FLAGPOLES

- A. Aluminum Flagpole Construction
  - 1. Fabricate from seamless, extruded tubing complying with ASTM B 221, alloy 6063-T6, having a tensile strength not less than 30,000 psi with yield point of 25000 psi. Heat treated after fabrication to comply with ASTM B 597, temper T-6.
- B. Model:
  - 1. External Halyard, not required ground set, cone-tapered, aluminum flagpole. Including ground sleeve, finial ball. Finish exposed metal surfaces to match flagpole.
    - a. Exposed Height: 20ft.
    - b. Overall Length: 22ft.
    - c. Diameter: 3½” base and 2 3/8” top
    - d. Wall Thickness: .125”
    - e. Wind Speed: 50 MPH flagged, 97 MPH un-flagged
    - f. Mounting Device: PVC Ground Sleeve
- C. Finish:
  - 1. Directional Sanded Satin Finish: Fine, directional, medium satin polish; buff complying with AA-M20; and seal aluminum surfaces with clear, hard-coat wax.
    - a. Satin Brushed Aluminum finish

## PART 3 – EXECUTION

### 3.01 EXAMINATION

- A. Do not begin installation until final grades and elevations have been established.
- B. If others determine final base elevation, confirm with Architect before proceeding.

### 3.02 INSTALLATION

- A. Install flagpole where shown on drawings and in accordance with manufacturer’s written instructions.

- B. Set flagpoles in concrete base. Provide galvanized corrugated steel sleeve or tube of length shown welded to steel base plates for installation of concrete.
- C. Wrap top of sleeve with two layers of asphalt felt for distance of 24" down.
- D. Fill space between pole and metal sleeve to within two inches of top with fine dry sand and fill balance of space with waterproof compound as shown.
- E. Flagpole shall be plumbed with  $\frac{1}{4}$ " for every 10 feet of pole height.

### **3.03 LIGHTNING ROD**

- A. Weld lightning ground rod of  $\frac{3}{4}$ " diameter galvanized steel to base plate at bottom of sleeve or tube, and to steel support plate at grade.

**END OF SECTION 10 75 00**

## TABLE OF CONTENTS

The pages in each specification Section are numbered. The last page of each Section contains the words END OF SECTION. Notify Architect if any page is missing in a Section of the Project Manual.

### **NUMBER TITLE**

---

#### **INTRODUCTORY INFORMATION**

00 01 01	Title Page
00 01 07	Seal Page
00 01 10	Table of Contents
00 01 15	List of Drawing Sheets
00 42 00	Proposal Form

#### **DIVISION 1 – GENERAL REQUIREMENTS**

01 11 00	Summary of Work
01 30 00	Administrative Requirements
	• Request for Interpretation
	• Electronic Data Transfer and Indemnification Agreement
01 33 00	Submittal Procedures
	• Submittal Transmittal
	• Optional Product/System Comparison
01 35 43	Environmental Procedures
01 42 19	Reference Standards
01 45 29	Testing Laboratory Services
01 50 00	Temporary Facilities and Controls
01 60 00	Product Requirements
01 61 00	Common Product Requirements
01 71 23	Field Engineering
01 75 16	Startup Procedures
01 77 00	Closeout Procedures

#### **DIVISION 2 – SITE CONSTRUCTION**

Not Applicable

#### **DIVISION 3 – CONCRETE**

03 30 00	Cast-In-Place Concrete
----------	------------------------

#### **DIVISION 4 – MASONRY**

Not Applicable

#### **DIVISION 5 – METALS**

05 52 13	Pipe and Tube Railings
----------	------------------------

#### **DIVISION 6 – WOOD, PLASTICS, AND COMPOSITES**

06 10 53	Miscellaneous Rough Carpentry
----------	-------------------------------

#### **DIVISION 7 – THERMAL AND MOISTURE PROTECTION**

07 92 00	Joint Sealants
----------	----------------

**NUMBER TITLE**

---

**DIVISION 8 – DOORS AND WINDOWS**

Not Applicable

**DIVISION 9 – FINISHES**

Not Applicable

**DIVISION 10 – SPECIALTIES**

10 75 00 Flagpoles

**DIVISION 22 – PLUMBING**

22 14 26 Facility Storm Drains

**DIVISION 26 – ELECTRICAL**

26 05 00	Common Work Results for Electrical	(Electrical Bid Package)
26 05 19	Low Voltage Electrical Power Conductors & Cables	(Electrical Bid Package)
26 05 26	Grounding and Bonding for Electrical Systems	(Electrical Bid Package)
26 05 29	Hangers and Supports for Electrical Systems	(Electrical Bid Package)
26 05 33	Raceway and Boxes for Electrical Systems	(Electrical Bid Package)
26 05 43	Underground Ducts & Raceway for Elect. Systems	(Electrical Bid Package)
26 05 53	Identification for Electrical Systems	(Electrical Bid Package)
26 56 00	Exterior Lighting	(Electrical Bid Package)


**DIVISION 31 – EARTHWORK**

Completed Under First Contract

**DIVISION 32 – EXTERIOR IMPROVEMENTS**

32 31 13	Chain Link Fences and Gates	(Fencing Bid Package)
32 31 19	Decorative Metal Fences and Gates	(Fencing Bid Package)
32 84 00	Planting Irrigation	(Landscaping Bid Package)
32 92 23	Sodding	(Landscaping Bid Package)
32 93 00	Plants	(Landscaping Bid Package)


**END OF TABLE OF CONTENTS**



**1**  
SD-01  
1/4" = 1'-0"

**ADA SEATING ELEVATION STAGE**

**LEFT**



**3**  
SD-01  
1/4" = 1'-0"

**ADA SEATING ELEVATION STAGE**

**RIGHT**

**KEYNOTES**

- 03.09 CONCRETE ADA RAMP
- 03.10 CONCRETE STAIR
- 03.16 CONCRETE WALL
- 04.02 MASONRY RETAINING WALL
- 04.04 FACE BRICK
- 04.05 BRICK ROWLOCK COURSE
- 05.01 1-1/2" O.D. STEEL PIPE HANDRAIL
- 26.11 RECESSED ELECTRICAL BOX REF. MPE; 7"W X 6"H 2"D WITH DRIP EDGE AT TOP AND 45 DEG. TAPERED BOTTOM

**VANDERGRIFF GROUP**  
ARCHITECTS • PC  
312 N. BIG SPRING SUITE 100 (432)857-0781 MIDLAND, TEXAS

REVISION		
NO.	DATE	DESCRIPTION

MARK R. PELLETIER  
#24111  
These documents are  
incomplete and are not  
to be used for any  
approval, permit, or  
construction purposes.

DATE: 02/19/16  
PROJECT: 01615  
MIDLAND COUNTY  
MIDLAND COUNTY AMPHITHEATER  
MIDLAND, TX 79701  
2514 ARENA TRAIL

2/24/2016 2:23:28 PM

SHEET:  
**SD-01**

# March 2016

MA=Red ED=Blue Lvsk=Green OA=Purple Terrace=Pink Other=Black

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday																																										
<div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> <p style="text-align: center;">Feb 2016</p> <table border="1" style="width: 100%; text-align: center;"> <tr><th>S</th><th>M</th><th>T</th><th>W</th><th>T</th><th>F</th><th>S</th></tr> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td></td></tr> <tr><td>7</td><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td><td>13</td></tr> <tr><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td></tr> <tr><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td><td>27</td></tr> <tr><td>28</td><td>29</td><td></td><td></td><td></td><td></td><td></td></tr> </table> </div>	S	M	T	W	T	F	S	1	2	3	4	5	6		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29							1	2	3	4 Miller Gymnastics	5 Miller Gymnastics Mounted Horse Patrol
S	M	T	W	T	F	S																																										
1	2	3	4	5	6																																											
7	8	9	10	11	12	13																																										
14	15	16	17	18	19	20																																										
21	22	23	24	25	26	27																																										
28	29																																															
6	7	8	9	10	11 <del>CELTIC FAIR REGION 2 JR. RODEO</del>	12 <del>ALMA GALINDO WEDDING CELTIC FAIR REGION 2 JR. RODEO</del>																																										
13 <del>CELTIC FAIR REGION 2 JR. RODEO</del>	14	15	16	17	18 PB Comicon A, B & S	19 MC Early College Prom PB Comicon A, B & S																																										
20 PB Comicon A & B	21	22	23 JEHOVA'S WITNESS CHURCH SERVICE Kingdom Hall Jehovah's Witness rm. B	24	25	26 Aguilar Wedding ELEVATE CHURCH RMS MOVE IN																																										
27 ELEVATE CHURCH RMS	28	29 Paradigm Safety Meeting	30 KMID Career Fair room A	31 ANTIQUA SHOW M-I	<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center;">Apr 2016</p> <table border="1" style="width: 100%; text-align: center;"> <tr><th>S</th><th>M</th><th>T</th><th>W</th><th>T</th><th>F</th><th>S</th></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>1</td><td>2</td></tr> <tr><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td></tr> <tr><td>10</td><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td></tr> <tr><td>17</td><td>18</td><td>19</td><td>20</td><td>21</td><td>22</td><td>23</td></tr> <tr><td>24</td><td>25</td><td>26</td><td>27</td><td>28</td><td>29</td><td>30</td></tr> </table> </div>		S	M	T	W	T	F	S						1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
S	M	T	W	T	F	S																																										
					1	2																																										
3	4	5	6	7	8	9																																										
10	11	12	13	14	15	16																																										
17	18	19	20	21	22	23																																										
24	25	26	27	28	29	30																																										

# April 2016

MA=Red ED=Blue Lvsk=Green OA=Purple Terrace=Pink Other=Black

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday																																																																																				
	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">Mar 2016</p> <table style="width: 100%; border-collapse: collapse; font-size: 8px;"> <tr><td>S</td><td>M</td><td>T</td><td>W</td><td>T</td><td>F</td><td>S</td></tr> <tr><td></td><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td></td></tr> <tr><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td></tr> <tr><td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td></tr> <tr><td>20</td><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td></tr> <tr><td>27</td><td>28</td><td>29</td><td>30</td><td>31</td><td></td><td></td></tr> </table> </div> <div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; margin: 0;">May 2016</p> <table style="width: 100%; border-collapse: collapse; font-size: 8px;"> <tr><td>S</td><td>M</td><td>T</td><td>W</td><td>T</td><td>F</td><td>S</td></tr> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td></tr> <tr><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td><td>13</td><td>14</td></tr> <tr><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td><td>21</td></tr> <tr><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td><td>27</td><td>28</td></tr> <tr><td>29</td><td>30</td><td>31</td><td></td><td></td><td></td><td></td></tr> </table> </div>	S	M	T	W	T	F	S		1	2	3	4	5		6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31			S	M	T	W	T	F	S	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31								<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">1</p> <p style="text-align: center; margin: 0;">TREASURE HUNTERS' EXPO SHOW</p> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">2</p> <p style="text-align: center; margin: 0;">Jacob Wedding Reception</p> <p style="text-align: center; margin: 0;">Mounted Horse Patrol</p> <div style="border: 1px solid black; padding: 2px; margin: 5px auto; width: 80%;"> <p style="text-align: center; margin: 0;">TREASURE HUNTERS' EXPO SHOW</p> </div> </div>
S	M	T	W	T	F	S																																																																																				
	1	2	3	4	5																																																																																					
6	7	8	9	10	11	12																																																																																				
13	14	15	16	17	18	19																																																																																				
20	21	22	23	24	25	26																																																																																				
27	28	29	30	31																																																																																						
S	M	T	W	T	F	S																																																																																				
1	2	3	4	5	6	7																																																																																				
8	9	10	11	12	13	14																																																																																				
15	16	17	18	19	20	21																																																																																				
22	23	24	25	26	27	28																																																																																				
29	30	31																																																																																								
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">3</p> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">4</p> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">Rape Crisis Center</p> </div> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;">Region 18 School Nutrition Classes</p> </div> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">5</p> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">Rape Crisis Center</p> </div> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;">Region 18 School Nutrition Classes</p> </div> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">6</p> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;">Region 18 School Nutrition Classes</p> </div> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">7</p> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">8</p> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;">Silver Spur Gun Show</p> </div> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">9</p> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;"><del>Gomez Wedding</del></p> </div> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;"><del>Silver Spur Gun Show</del></p> </div> </div>																																																																																				
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">10</p> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;"><del>Silver Spur Gun Show</del></p> </div> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">11</p> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">12</p> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;"><del>ZACHARY PUBLICATIONS</del></p> </div> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">13</p> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;"><del>Master Gardeners</del></p> </div> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;"><del>ZACHARY PUBLICATIONS</del></p> </div> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">14</p> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;"><del>Master Gardeners</del></p> </div> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;"><del>ZACHARY PUBLICATIONS</del></p> </div> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">15</p> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">MARC</p> </div> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;">Master Gardeners</p> </div> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">16</p> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;"><del>MARC</del></p> </div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;"><del>Master Gardeners</del></p> </div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;"><del>Mounted Horse Patrol Comp</del></p> </div> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;"><del>Mounted Horse Patrol Comp</del></p> </div> </div>																																																																																				
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">17</p> <p style="text-align: center; margin: 0;">Master Gardeners</p> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">18</p> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">19</p> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;">MIDLAND CHAMBER OF COMMERCE STATE OF EDUCATION R M S</p> </div> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">20</p> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">21</p> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">AGGIE MUSTER</p> </div> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;">Peddler's Show</p> </div> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">22</p> <p style="text-align: center; margin: 0;">"811" - LB</p> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">Peddler's Show</p> </div> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;">TX DAMAGE PREVENTION COUNCIL "811" &amp; STEPS</p> </div> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">23</p> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">Peddler's Show</p> </div> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;">TAVAREZ PARTY</p> </div> </div>																																																																																				
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">24</p> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;">Peddler's Show</p> </div> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">25</p> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">26</p> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">27</p> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;">Eventures Career Fair</p> </div> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">28</p> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">Bush Home Fundraiser r m s</p> </div> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;">COUNTRY WESTERN CONCERT</p> </div> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">29</p> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">30</p> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">Lee High School Prom</p> </div> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: center; margin: 0;">Maldonado Quinc.</p> </div> </div>																																																																																				