



Request for Proposal, 21MCO572 SHERIFF'S OFFICE GYM EQUIPMENT

Date Required: Monday March 1, 2021

Time Required: 10:00am Local Time

INTRODUCTION:

Midland County, hereafter called County, invites sealed proposals from interested qualified Vendors, hereinafter called Vendors, for Sheriff's Office gym equipment. The following pages provide general information about the requirements and specifications for the package.

This request for proposal ("RFP") is part of a competitive procurement process which provides qualified vendors with a fair opportunity for their commodities and services to be considered, and to provide information concerning their expertise and experience in providing similar services to other customers. The RFP process provides a competitive negotiation platform, wherein price or cost is not the sole determinative factor. This process, designed to best serve the interests of the County, allows the County the flexibility to negotiate with interested, qualified Vendors (following designation by the Commissioners Court, one at a time) to arrive at a mutually agreeable relationship.

QUESTIONS:

If further information is required, please contact the Midland County Purchasing Department. All requests for information must be submitted in writing. Responses to all questions received will be sent to each Contractor/Vendor known to have copies of the Request for Proposal. Requests for information may be faxed to 432-688-4914 or e-mailed to pur103@co.midland.tx.us. All questions should be submitted on or before **5:00pm on Wednesday February 10, 2021**. Questions received after said date and time will not receive a response. Answers and clarifications which are considered to materially change the solicitation will be issued as written addenda to the original RFP and will be posted to the Midland County website at www.co.midland.tx.us. Solution providers are responsible for ensuring all answers to questions are reviewed prior to bid submittal and that all issued added are properly acknowledged with their submitted proposal response. Midland County will not be responsible for any verbal exchange between the vendor and an employee of Midland County.

COPIES AND RECEIPT:

Please submit one (1) original, three (3) copies, and an electronic copy on USB drive of the proposal. **An executed copy of the Proposal Affidavit SIGNED AND NOTARIZED (Page 7) must be included in each submission.** Please note that if no Proposal Affidavit is included, the response will be rejected. Midland County is exempt from all state and federal taxes. Tax exempt certificates are available upon request.

All responses should be submitted in a sealed envelope, marked on the outside,

21MCO572 SHERIFF'S OFFICE GYM EQUIPMENT

Company Name

Responses must be received by **10:00am Local Time on Monday March 1, 2021**. Late proposals will be rejected and returned without being opened. The clock in the Purchasing Agent's office is the official time piece for this submission. If interested, Contractors may use mail or express systems to deliver their proposal to the Purchasing Department; they should ensure that they are tendered to the carrier in plenty of time to reach the Purchasing Department by the time and date required. Facsimile transmitted proposals shall not be accepted.

SUBMISSION LOCATION: All bids which are mailed, shipped, delivered, etc. should be addressed as follows:

Midland County Purchasing Department
Midland County Courthouse
Attention: Kristy Engeldahl, Purchasing Agent
500 N. Loraine Street, Suite 1101
Midland, Texas 79701

DOCUMENTATION SUBMISSION:

The respondent must submit all required documentation. Failure to provide requested information may result in rejection of the proposal.

ALTERATION OF PROPOSAL:

A proposal may be altered, modified or amended by a Vendor at any time, prior to the time and date set forth above as the submission deadline. Alterations, modifications or amendments to a proposal must be made in the offices of the Purchasing Department. Any interlineations, alteration or erasure made on a proposal before the submission deadline must be initialed by the signer of the proposal, guaranteeing authenticity. A proposal may not be altered, modified or amended after the submission deadline.

WITHDRAWAL:

A proposal may not be withdrawn or canceled by the respondent for a period of sixty (60) days following the date designated for the receipt of proposals, and respondent so agrees upon submittal of their proposal.

CONFLICT OF INTEREST:

No public official shall have interest in this contract, in accordance with Vernon's Texas Codes annotated Local Government Code Title 5, Subtitle C, Chapter 171. Vendor is required to sign affidavit form included in Proposal documents.

SILENCE OF SPECIFICATIONS:

The apparent silence of these specifications as to any detail of the apparent omission from it of a detailed description concerning any point, shall be regarded as meaning that only the best commercial practices are to prevail. All interpretations of these specifications shall be made on the basis of this statement.

CONFIDENTIALITY:

Contents of the proposals will remain confidential until the contract is awarded. At that time the contents will be made public under the Texas Public Information Act; except for any portion of a proposal which has been clearly marked as a trade secret or proprietary data (the entire proposal may not be so marked). Proposals will be opened, and the name of the firm submitting the proposal read aloud, acknowledged, at **10:05am on Monday March 1, 2021**, in the Purchasing Department Conference Room located in the Midland County Courthouse, Suite 1101. All respondents or other interested parties are invited to attend the opening.

Vendors are hereby notified that the Owner strictly adheres to all statutes, court decisions, and opinions of the Texas Attorney General with respect to disclosure of public information.

ADDITIONAL INFORMATION AND DEMONSTRATION, NEGOTIATIONS:

Prior to award, selected Vendors may be asked to provide further information concerning their proposal, up to and including presentations/demonstrations. The Midland County Commissioners Court reserves the right to reject any and all proposals or waive formalities as deemed in the best interests of Midland County. The County may also enter into discussions and revisions of proposals after submission and before award for the purpose of obtaining the best and final offer, and to accept the proposal deemed most advantageous to Midland County.

This request for proposal (RFP) is part of a competitive procurement process which is designed to best serve the interests of the County in obtaining complicated commodities and/or services. It also provides interested Contractors with a fair opportunity for their goods and services to be considered. The RFP process is designed to be a competitive negotiation platform, where price is not required to be the sole determinative factor. Also, the County has the flexibility to negotiate with interested vendors (one at a time) to arrive at a mutually agreeable relationship. Negotiations will be arranged with vendors in a hierarchal order, starting with the vendor selected as the primary. If a contract cannot be negotiated, negotiations will, formally and in

writing, end with that Vendor and proceed to move to the second vendor, and so forth until a contract is negotiated.

RIGHTS OF THE CONTRACTING AUTHORITY:

Midland County reserves the right to withdraw this RFP at any time and for any reason. Midland County also has the right to terminate its selection process at any time and to reject all responses, or all proposals. Receipt of the proposal materials by Midland County or submission of a proposal to Midland County confers no rights upon the vendor nor obligates Midland County in any manner.

All costs associated with the preparation or submittal of proposals shall be borne by the vendor, and no cost shall be sustained by Midland County.

ORAL COMMITMENT:

Vendors should clearly understand that any verbal representations made or assumed to be made during any discussions held between representatives of a vendor and any Midland County personnel or official are not binding on Midland County.

WAIVER OF CLAIMS:

Submission of a proposal indicates Vendor's acceptance of the evaluation technique and Vendor's recognition that some subjective judgments must be made by the County during the determination of qualification.

SELECTION CRITERIA:

Price is a primary consideration; however, it is not the only consideration to be used in the selection. The product and/or service to be provided is also of major importance. Midland County will require that the successful vendor provide a representative for all County related business, including fitting, warranty, and billing of said product and/or service.

ORDINANCES AND PERMITS:

The Contractor/Vendor agrees, during the performance of the work, to comply with all applicable Federal, State, or local codes, ordinances, and laws.

INVOICES:

Invoices are to be mailed to P.O. Box 421, Midland, Texas 79702 and should cite the applicable Purchase Order Number. Any and all notices or other communications required or permitted by any contract awarded as a result of this RFP shall be served on or given to Midland County, in writing, by personal delivery to the Purchasing Agent of Midland County, Texas, or by deposit with the United States Mail, postage prepaid, registered or certified mail, return receipt requested, addressed to the Midland County Purchasing Agent 500 N. Loraine Suite 1101 Midland, TX 79701, or at such other address as may have been specified by written notice to Vendor.

INSURANCE:

The awarded Vendor will maintain such insurance that will protect the Vendor and the County from claims under the Workers' Compensation Acts, and any amendments thereof, and from any other claims for damages from personal injury, including death, which may arise from operations under this agreement, whether such operations be by themselves or by any sub-contractor, or anyone directly or indirectly employed by either of them. Current certificates of insurance shall be furnished to Midland County and shall show all applicable coverage(s). Any subcontractor must adhere to the same requirements listed above and below (with the exception of the pollution liability, if required).

Other insurance requirements are:

-General Liability (including completed operations) with a \$1,000,000 per occurrence limit and \$2,000,000 general aggregate.

Midland County will require the selected Vendor to name Midland County as an additional insured for both the general liability and auto liability. A waiver of subrogation in favor of the County is required for the workers compensation. If the additional insured status or waiver of subrogation is not on a blanket basis, please send a copy of the actual endorsements prior to commencement of any work. All insurance must be placed through an insurance carrier licensed to operate in Texas and have an AM Best Rating greater than A-VI.

INDEMNIFICATION:

The Vendor shall defend, indemnify and save whole and harmless the County and all its officers, agents and employees from and against any and all demands, claims, suits, or causes of action of any character, name, kind or description brought for, or on account of, arising out of or in connection with the Vendor's performance or non-performance of any obligation of Vendor or any negligent act, misconduct or omission of the Vendor in the performance of its contractual obligations. The Vendor shall defend, indemnify, save, and hold harmless the County and its officers, agents, representatives and employees from and against any and all demands, claims, suits, or causes of action of any character, name, kind or description brought for, on account of, arising out of or in connection with Vendor's product or service.

STATUS OF INDEPENDENT CONTRACTOR:

Vendor shall be considered an independent contractor, for all purposes. Vendor will not at any time, directly or indirectly, act as an agent, servant, representative or employee of the County. Vendor will not take any action which is intended to create any commitments, duties, liabilities or obligations on behalf of the County, without prior written consent of the County.

PARTIAL INVALIDITY:

In the event any one or more of the provisions contained in this RFP or any contract resulting therefore, for any reason, be held to be invalid, illegal or unenforceable in any respect, such invalidity, illegality or unenforceability shall not affect any other provision of this RFP or any contract resulting therefore and this RFP or the contract resulting therefore shall be construed as if such invalid, illegal or unenforceable provision had never been contained herein.

CONTRACT TERMINATION:

Non-performance of the Vendor/Contractor in terms of specifications or noncompliance with terms of this contract shall be basis for termination of the contract by the County. Termination in whole or in part, by the County may be made at its option and without prejudice to any other remedy to which it may be entitled at law or in equity, or elsewhere under this contract, by giving (60) sixty days written notice to the Contractor/Vendor with the understanding that all work being performed under this contract shall cease upon the date specified in such notice. The County shall not pay for work, equipment, services or supplies which are unsatisfactory. Contractor/Vendor may be given reasonable opportunity prior to termination to correct any deficiency. This, however, shall in no way be construed as negating the basis for termination for non-performance. The right to terminate the notice thereof is controlled by these proposal specifications and is not subject to being altered by contract.

LAW GOVERNING:

The parties under contract shall be subject to all Federal laws and regulations, and all rules and regulations of the State of Texas. The laws of the State of Texas shall govern the interpretation and application of the contract; regardless of where any disagreement over its terms should arise or any case of action arise. Vendor agrees to follow all local, state and federal laws.

REMEDIES:

The successful vendor and Midland County agree that both parties have all rights, duties, and remedies available as stated in the Uniform Commercial Code.

VENUE:

It is hereby agreed that the contract will be made in Midland, Midland County, Texas, and any dispute arising as a result of it shall be governed by the laws of the State of Texas for the purpose of any law suit, and the parties agree that such lawsuit shall be brought in Midland County, Texas.

FUNDING CONTINGENCY:

Any contract awarded pursuant to this RFP shall be contingent on sufficient funding and authority being made available in each fiscal period by the appropriate officials of Midland County. If sufficient funding or authority is not made available, the contract shall become null and void.

ASSIGNMENT:

The Contractor shall not sell, assign transfer or convey this contract in whole or in part, without the prior written consent of the County.

**REQUIRED FORM
COMPANY AFFIDAVIT**

The affiant, _____ states with respect to this submission to County:

I (we) hereby certify that if the contract is awarded to our firm that no member or members of the governing body, elected official or officials, employee or employees of said County, or any person representing or purporting to represent the County, or any family member including spouse, parents, or children of said group, has received or has been promised, directly or indirectly, any financial benefit, by way of fee, commission, finder's fee or any other financial benefit on account of the act of awarding and/or executing a contract.

I hereby certify that I have full authority to bind the company and that I have personally reviewed the information contained in the RFP and this submission, and all attachments and appendices, and do hereby attest to the accuracy of all information contained in this submission, including all attachments and exhibits.

I acknowledge that any misrepresentation will result in immediate disqualification from any consideration in the submission process.

I further recognize that County reserves the right to make its award for any reason considered advantageous to the County. The company selected may be without respect to price or other factors.

Signature _____ Date _____

Name _____ Phone _____

Title _____

Firm Name _____

Type of business organization (corporation, LLC, partnership, proprietorship)

Address _____

County, State, Zip _____

Notary Seal Below

SPECIFICATION

PURPOSE:

Midland County Sheriff's Office will be purchasing new gym equipment to be installed in the gym at the Sheriff's Office Detention Building located at 115 W. Industrial Ave. Midland, TX 79701. There are pieces of old/broken gym equipment that will need to be removed and relocated. Some items included in the list of equipment below may not be purchased at Midland County's discretion. Removal of old equipment will be relocated to the Midland County Exhibit Building (Surplus Building) at 2445 E. Hwy 80 Midland, TX 79701.

SUBCONTRACTOR AND/OR SUPPLIER IDENTIFICATION:

Should the Bidder subcontract any work, the Bidder shall indicate below the name of each subcontractor and/or supplier the bidder will use in the performance of the contract. The Bidder shall specify the work to be performed by the subcontractor or the materials to be provided by the supplier. Any changes in subcontractor and/or supplier listed below shall require prior approval by the Purchasing Office.

SPECIFICATIONS:

See pages 10-22 for a list of all equipment requested, removal of old equipment and preventative maintenance. Midland County may not purchase every item listed.

CONTRACT TERM:

This contract will last for 12 months and renew annually, unless either Midland County or Vendor provides a 60-day notice to cancel or not renew.

REFERENCES:

Please provide at least 3 references, preferably any local/state government clients that the vendor has provided a similar type of product/service as requested in this RFP.

EVALUATION PROCESS:

The County will award to the bidder that submits a bid which represents the "best value" to the County. The best value shall not be based solely upon price, but the bid which receives the highest cumulative score for each of the evaluation factors delineated herein.

CRITERIA:

Introduction (Executive Summary): 1 page maximum

Tab 1 Previous Related Experience: (10 points, maximum)

- Indicate experience with publicly funded entities of same approximate size. Be sure to indicate any previous experience with Midland County.
- Indicate any contracts terminated due to breach of contract by Vendor.

Tab 2 Identity and Location of Vendor: (40 points, maximum)

- Indicate the exact legal name of Vendor, its corporate location, any local/regional offices near Midland County, shipping warehouse location, length of time in business.

Tab3 References: (Include name, address, and phone number of contact person): (10 points, maximum)

- Indicate (3 minimum) references who can attest to the Vendor's ability to provide these goods/services.

Tab 5 Cost: (40 points, maximum)

- Indicate the Vendor's proposed costs by completing and returning PAGES 10 - 22.

ATTACHMENT A

Item	Description	Qty	Rate	Total
Hoist RPL-5101	<p>Hoist Seated Dip</p> <p>Functional movement for triceps muscles</p> <p>Adjustable exercise handles provide proper positioning & reduce excessive shoulder stress & instability</p> <p>Starts the body in a slight forward lean, then rocks rearward to a stable exercise position</p> <p>Naturally mimic the exercise motion of a bar dip</p> <p>Ratcheting seat adjustment</p>	1		
Hoist RPL-5102	<p>Hoist Bicep Curl</p> <p>Exercise arms move independently for alternating curls</p> <p>Self-aligning exercise arms automatically adjusts to the user</p> <p>Contoured handles provide multiple grip positions</p> <p>Rocking movement provides a greater range of exercise motion</p> <p>Labeled pivot alignment points</p> <p>Ratcheting seat adjustment</p>	1		
Hoist RPL-5303	<p>Hoist Incline Press</p> <p>Contoured press arm handles provide multiple grip positions</p> <p>Starts with the exercise handles positioned at chest level, then rocks rearward to align the handles with the chin mimicking the natural angular or arched movement of an incline bench press</p> <p>Designed to reduce the stresses</p> <p>Placed upon the anterior shoulder capsule associated with horizontal extension and internal rotation of the arm</p> <p>Synchronized converging exercise motion replicates dumbbell presses</p> <p>Counter-balanced exercise arm</p> <p>Ratcheting seat adjustment</p>	1		

Item	Description	Qty	Rate	Total
Hoist RPL-5301	<p>Hoist Chest Press</p> <p>Contoured press arm handles provide multiple grip positions</p> <p>Starts with the exercise handles positioned at chest level, then rocks rearward to align the handles with the chin mimicking the natural angular or arched movement of a bench press</p> <p>Designed to reduce the stresses placed upon the anterior shoulder capsule associated with horizontal extension and internal rotation of the arm</p> <p>Synchronized converging exercise motion replicates dumbbell presses</p> <p>Counter-balanced exercise arm</p> <p>Ratcheting seat adjustment</p>	1		
Hoist RPL-5305	<p>Hoist Decline Chest Press</p> <p>Contoured press arm handles provide multiple grip positions</p> <p>Starts with the exercise handles positioned at chest level, then rocks rearward to align the handles with the chin mimicking the natural angular or arched movement of a declined bench press</p> <p>Designed to reduce the stresses placed upon the anterior shoulder capsule associated with horizontal extension and internal rotation of the arm</p> <p>Synchronized converging exercise motion replicates dumbbell presses</p> <p>Ratcheting seat adjustment</p>	1		

Item	Description	Qty	Rate	Total
Hoist RPL-5356	<p>Hoist Hack Squat/Dead Lift</p> <p>3 Exercise Variations in One Machine</p> <p>Oversized foot plate allows for multiple foot positions to ensure correct biomechanics during exercises</p> <p>Self-aligning hand grips adjust to accommodate varying shoulder widths while providing proper positioning</p> <p>Counterbalanced to reduce starting weight</p> <p>Seat provides provided proper alignment and support at the beginning and end of exercise and drops away during exercise movement</p>	1		
Hoist RPL-5363	<p>Hoist Seated Calf Raise</p> <p>Mar resistant nickel-plated weight peg</p> <p>Lock-out automatically releases at the start of the exercise</p> <p>Adjustable thigh pad to accommodate varying leg lengths</p> <p>Thigh pad automatically self-aligns to the user during exercise</p>	1		
Hoist RPL-5403	<p>Hoist Dual Action Leg Press</p> <p>Rox Technology creates a dual action exercise movement that</p> <p>moves the user support and foot plate simultaneously</p> <p>Head and shoulder support adjusts to accommodate varying body sizes</p> <p>Easy to access lockout mechanism, automatically disengages at the start of the exercise</p> <p>Oversized foot plate provides multiple foot placements for both leg press and calf exercises</p>	1		

Item	Description	Qty	Rate	Total
Hoist RPL-5501	<p>Hoist Shoulder Press</p> <p>Starts the exercise handles positioned in front of the body, then rocks rearward positioning the handles over head to mimic the natural movement of a dumbbell shoulder press</p> <p>Rocking movement aligns the user's arm with the midline of their torso to decrease external rotation of the arm and shoulder and reduce lower back arching</p> <p>Synchronized converging exercise motion replicates dumbbell presses</p> <p>Counter-balanced exercise arm</p> <p>Ratcheting seat adjustment</p> <p>Contoured press arm handles provide multiples grip positions</p>	1		
Hoist CMJ-6600	<p>Hoist 6 Station Single Pod with Stand Alone Hilo Pulley</p> <p>Unique one-handed Hi-Lo Station adjuster</p> <p>Angled seat for proper alignment and low step height for easy entry and exit on Low Row Station</p> <p>Integrated rock-climbing holds bring an exciting exercise variation</p> <p>Includes the following stations:</p> <p>CMJ-6101 Triceps Extension</p> <p>CMJ-6175 Hi-Lo Pulley</p> <p>CMJ-6201 Lat Pulldown</p> <p>CMJ-6203 Low Row</p> <p>CMS-6175 Stand Alone Hi-Lo Pulley</p> <p>CMJ-OPT-01 Cross Pull Up Station</p> <p>CMJ-CAGE Base Cage</p>	1		

Item	Description	Qty	Rate	Total
Hoist CF-3444	<p>Hoist 4-Sided Olympic Plate Tree</p> <p>Incorporates 12 impact-resistant plastic covered weight pegs for easy storage</p> <p>Optional Olympic Bar Holders CF-OPT-02 available (Maximum two per unit – sold separately)</p> <p>Maximum weight storage capacity 1,500lbs</p>	2		
Hoist CF-3753	<p>Hoist 7 Degree Smith</p> <p>7” angle on linear exercise movement</p> <p>EZ-LOC LATCHING MECHANISM TM automatically locks and unlocks weight bar and safety stops</p> <p>Easy one-handed adjustable safety stops</p> <p>Polyurethane covered weight racks to protect frame and reduce noise</p> <p>Incorporates ten weight plate holders for easy storage</p> <p>Starting weight of Olympic Bar: 25lbs</p> <p>Maximum weight storage capacity: 1,350lbs</p> <p>Maximum exercise weight capacity: 540lbs</p>	1		
Troy GO-002R	<p>Troy 2.5lb Premium Grade Inter-Locking Rubber Plate</p> <p>Odorless virgin rubber surface protects floor and equipment while the interlocking feature allows one to lift, lock and load more plates onto the bars and machines</p>	2		
Troy GO-005	<p>Troy 5lb Premium Grade Rubber Inter-Locking Plate</p> <p>Odorless virgin rubber surface protects floor and equipment while the interlocking feature allows one to lift, lock and load more plates onto the bars and machines</p>	16		
Troy GO-010R	<p>Troy 10lb Premium Grade Rubber Inter-Locking Plate</p> <p>Odorless virgin rubber surface protects floor and equipment while the interlocking feature allows one to lift, lock and load more plates onto the bars and machines</p>	16		

Item	Description	Qty	Rate	Total
Troy GO-025R	Troy 25lb Premium Grade Rubber Inter-Locking Grip Plate Odorless virgin rubber surface protects floor and equipment while the interlocking feature allows one to lift, lock and load more plates onto the bars and machines	26		
Troy GO-035R	Troy 35lb Premium Grade Rubber Inter-Locking Grip Plate Odorless virgin rubber surface protects floor and equipment while the interlocking feature allows one to lift, lock and load more plates onto the bars and machines	26		
Troy GO-045R	Troy 45lb Premium Grade Rubber Inter-Locking Grip Plate Odorless virgin rubber surface protects floor and equipment while the interlocking feature allows one to lift, lock and load more plates onto the bars and machines	44		
Troy-GOB— 1800	Troy Fitness Men's Functional Fitness Bar Make: International Yield Strength: 270,000 P.S.I Shaft Finish: Oxide (Patina) Sleeve Finish: Hard Chrome Knurling: Fine Bushings: Bronze Sleeves attached: Dual Snap Ring Center Knurling: None Weight: 44lbs	1		
Troy AOMC	Troy Fitness 2" Muscle Olympic Clamp Collar (Pair)	2		

Item	Description	Qty	Rate	Total
Troy GVLAR-76P	VTX Light Accessories Rack (Large) Package Includes: 1 Light Accessories Rack (Large) SKU: GVLAR-76 3 Stability Balls (S, M, L) SKU: GSB 6 Medicine Balls (4, 6, 8, 10, 12, 15lbs) SKU: GMB-G2 3 Exercise Mats SKU: GVEM-L 2 Foam Rollers SKU: GVFR 2 Ab Mats SKU: GVAM 5 Covered Resistance Bands (UL, L, M, H, UH) SKU: GVCT	1		
Troy TPLB-34S	Troy Fitness 34" Straight Pro Style Lat Bar 34" Deluxe Pro Style Bar with forged swivel has specially-designed tapered handles for better grip and feel	1		
Troy TXB	Troy Fitness Cable Attachment Multi-Exercise Bar	1		
Troy GCCH	Troy Fitness Single Cable Grip Constructed of rugged steel and polished chrome finish, this economy version single cable grip has specifically designed tapered handles for better grip and feel	1		
Troy GTVB	Troy Fitness Triceps Press Down V Bar Bio Mechanically designed for maximum triceps contraction The heavy welded flange allows maximum load capacity Polished round end plates ensure a comfortable non-slip grip on built to last V Bar	1		
Troy GCB-28S	Troy Fitness 28" Multi-Purpose Economy Curl Bar with Swivel Multi-Purpose bar is for triceps press downs, curls, rows, arm pull-overs.	1		
Troy GSB-20SR	Troy Fitness 20" Multi-Purpose Deluxe Straight Bar with Rubber Grips 20" Deluxe Revolving Straight bar with forged swivel and rubber grips is designed for triceps press-down, straight bar curls, upright rows, seated rows, arm pull-overs and more	1		

Item	Description	Qty	Rate	Total
True TC650-19	<p>True 650 Treadmill</p> <p>15 MPH Maximum Speed with 15% maximum incline</p> <p>HRC Cruise Control and Soft System deck</p> <p>Reversible Deck</p> <p>Power source 120V/20A(NEMA 5-20R Receptacle)</p> <p>Cord Length 12'</p> <p>Drive Motor 5 HP AC Self Cooling Max Drive</p> <p>Power Factor Correction Standard</p> <p>Incline Motor 1,200lbs of Thrust</p> <p>Speed Sensor Optical</p> <p>Belt Lubricant infused Multi-Ply with PVC Coating</p> <p>Rollers 3"/8cm w/Shielded Bearings</p> <p>Impact System True Soft System</p> <p>Frame Construction Robotically Welded Heavy-Gauge Steel</p> <p>Lubrication Silax</p> <p>Quick Access control speed and incline on hand grips with start and stop on quick access point</p> <p>Handrail design-extended handrails with moisture resistant grips</p> <p>Contact heart rate monitoring</p> <p>Wireless heart rate monitoring polar</p> <p>*Warranty</p> <p>Frame Lifetime</p> <p>Motor 5 Years</p> <p>Parts 3 Years</p> <p>Labor 3 Years</p>	1		
True CNLED-19	<p>True Emerge Consoles</p>	2		

Item	Description	Qty	Rate	Total
True RC900-19	<p>True 900 Recumbent (Bike Only)</p> <p>Self-generating capability</p> <p>Dual stage drive system</p> <p>20-600 Watts workload range</p> <p>Dual sided pedals with ratcheting strap</p> <p>Quick Access controls</p> <p>Dual stage drive with poly-V belts</p> <p>Resistance Levels 30</p> <p>Frame construction robotically welded heavy-gauge steel</p> <p>Pedals dual sided wand weighted with integrated ratcheting strap</p> <p>Seat ergonomic seat bottom with 25 settings and custom molded, seat back with infinite reclining positions</p> <p>Handlebar design multi position with moisture resistant sleeves</p> <p>Quick access control resistance level thumb controls</p> <p>*Warranty</p> <p>Frame Lifetime</p> <p>Parts 3 Years</p> <p>Labor 3 Years</p>	1		

Item	Description	Qty	Rate	Total
Octane XT-4700	<p>Octane 2019 XT-4700 W/Standard Console</p> <p>Electronically adjustable stride 20"-28"</p> <p>Smart stride technology</p> <p>Close pedal spacing</p> <p>Low step-up height</p> <p>Advanced training – 30:30 and MMA</p> <p>X-Mode</p> <p>Glut Kicker</p> <p>Arm Blaster</p> <p>*Warranty</p> <p>Frame Lifetime</p> <p>Parts 3 Years</p> <p>Labor 1 Year</p>	2		
Stairmaster HIIT Rower	<p>Stairmaster HIIT Rower</p> <p>Isokinetic fan resistance offers unlimited workout options, while fan dampening system allows for increased or decreased workloads at a given stroke rate</p> <p>Console features traditional rowing metrics and quick set programming for HIIT routines when bundled with other Stairmaster HIIT products featuring this console</p> <p>Water bottle and accessory holder located under foot plates for safe storage</p> <p>Easy storage while not in use by disconnecting at center point</p> <p>User weight 500lbs as tested by CORE/350lbs as tested per EN 20957-7</p> <p>Power two C cell batteries or an optional external power supply can be ordered</p> <p>User friendly Stairmaster HIIT Console</p> <p>Drive Train Nickel plated steel chain</p> <p>Construction Aluminum and Steel</p> <p>*Warranty</p> <p>10-year structural frame/2 years parts/1-year labor</p>	2		

Item	Description	Qty	Rate	Total
Stairmaster 9-527	<p>Stairmaster 8 Series Gauntlet W LCD</p> <p>Includes the landmark challenge program as well as standard console programs</p> <p>The landmark challenge program allows user to climb well known landmarks form around the world like the Eiffel Tower, Statue of Liberty and the Taj Mahal. Standard console programs are also included</p> <p>Electronically controlled alternator, brake and drive chain precisely control the stair speed, allowing a wide range of users to exercise smoothly within their comfort zones</p> <p>Hot bar with stop button, heart rate, and level control</p> <p>Bluetooth connectivity for user workout data tracking</p> <p>USB charging port</p> <p>Multiple cup and accessory holders</p> <p>Electrical requirements: 12V/5 Amp power supply</p> <p>Powder coated steel frame</p> <p>*Warranty</p> <p>Frame: 15 Year</p> <p>Parts: 3 years</p> <p>Labor and Wear items: 1 year</p>	1		
Install	Installation of Equipment			
Removal	<p>Removal/Relocate Equipment</p> <p>All going to 2445 E. Hwy 80 in Midland, TX</p> <p>1 Pectoral Corner Unit</p> <p>1 Body Solid Leg Ext/Curl</p> <p>1 Rower</p> <p>1 Precor Elliptical</p> <p>1 Precor Recumbent Bike</p>			
	Total cost for equipment and installation as well as removal and relocation of existing equipment			\$ _____

Item	Description	Qty	Rate	Total
Preventative Maintenance	<p>Yearly Preventative Maintenance</p> <p>*Include 2 Precor Treadmills (about 10 years old)</p> <p>Preventative Maintenance is routine maintenance to help:</p> <p>Improve performance</p> <p>Reduce equipment downtime</p> <p>Fewer unplanned maintenance expenses</p> <p>Fewer major repairs</p> <p>Lower operating cost</p> <p>Improved equipment uptime</p> <p>Extended equipment life-expectancy</p> <p>Fewer injuries</p> <p>5 Year Contract- Semi Annual Preventative Maintenance to Include the following:</p> <p>All machines gone through 2 times per year for 5 years total, starting 4 months after original equipment purchase. If parts need to be replaced and are not under warranty, a quote and purchase order from Midland County will be required, before moving forward with the repair.</p> <p>Wipe surface of all the machines</p> <p>Inspect walking belt for proper alignment</p> <p>Make sure the line cord is not under elevation carriage</p> <p>Ensure all control buttons are properly working</p> <p>Clean & vacuum under hood of tread and belt</p> <p>Check drive belt for proper alignment and wear</p> <p>Vacuum under tread by elevating the tread to highest elevation</p> <p>Check power cord for flat spots or breaks</p> <p>Tighten all loose hardware including shroud screws</p> <p>Check all settings & re-calibrate tread to verify proper function</p> <p>Lube guide rods to manufacture specifications</p>	5 years	\$ _____ per year	\$ _____

Item	Description	Qty	Rate	Total
	<p>**CONTINUED FROM PREVIOUS PAGE**</p> <p>Lube elevation screw on treads</p> <p>Check all hardware to ensure they are tight</p> <p>Make sure there are no squeaks</p> <p>Check pedals to make sure there is no grinding noise</p> <p>Inspect belt/chains for wear</p> <p>Lubricate drive chain</p> <p>Check crank tightness</p> <p>Adjust skates/wheels for proper tracking</p>			