

RFP 23MCO619 REBID

In response refer to RFP No. 23MCO619 REBID Addendum 1 and Response to Questions

December 29, 2023

Gentlemen/Ladies:

The following questions have been asked according to the instructions of the bid and are hereby answered. Also added to this Addendum are C-440 Fencing Plan drawings and Station Elevation R1 spreadsheet.

1. What size are the Solar Power Stop Signs?

30"X 30".

2. Can fence removal be identified on the plans?



Please see the attached Fencing Plan C-440 (page 2).

3. Can ditch grades be provided?

Please see the attached excel sheets (pages 3-5).

4. Will the stone riprap require the 3" bedding or the filter fabric?

Filter fabric.




 Magrym Consulting, Inc.
 110 W. Louisiana Ave. Ste 314
 Midland, TX 79701
 (432) 999-2737
 www.magrym.com
 TX #F-19848 | ND #28610PE | OK #8561PE

REVISIONS (OR CHANGE NOTICES)	DATE	BY
R1-1 ADD FENCING PLAN	01-02-24	CSC
R1 ISSUED FOR CONSTRUCTION - REVISION	12-18-23	CSC
IFC ISSUED FOR CONSTRUCTION	10-4-23	CSC
IFR ISSUED FOR REVIEW	9-1-23	CSC
R-X DESCRIPTION		



MIDLAND COUNTY
 DEPARTMENT OF PUBLIC WORKS
 500 N. LORAIN STREET
 MIDLAND, TX 79701

**WEST COUNTY ROAD 130 EXTENSION
 FROM SOUTH COUNTY ROAD 1232
 TO SOUTH COUNTY ROAD 1210**

FENCING PLAN	
HORIZONTAL SCALE: 1"=100'	VERTICAL SCALE: NTS
PRINT DATE: 1/2/2024	DESIGNED BY: ZZ
PROJECT NO.: 23-170	CHECKED BY: CSC
SUBSET: CIVIL	APPROVED BY: CSC

SHEET:
C-440

Station	Elevation Existing	Elevation Design	Ditch Elevation (LT)	Ditch Elevation (RT)
0+00.00	2,815.73'	2,815.8	SEE GRADING PLAN	2,813.4
1+00.00	2,816.75'	2,818.8		2,816.5
2+00.00	2,818.94'	2,821.8		2,819.5
3+00.00	2,821.97'	2,824.8		2,822.5
4+00.00	2,825.63'	2,827.9		2,825.5
5+00.00	2,830.35'	2,830.6		2,828.3
6+00.00	2,832.77'	2,832.6		2,830.3
7+00.00	2,832.71'	2,833.7		2,831.3
8+00.00	2,832.41'	2,833.9		2,831.6
9+00.00	2,833.69'	2,833.5	SCR1230	2,831.2
10+00.00	2,833.24'	2,833.2	2,830.9	2,830.9
11+00.00	2,832.69'	2,832.8	2,830.5	2,830.5
12+00.00	2,831.82'	2,832.5	2,830.2	2,830.2
13+00.00	2,831.50'	2,832.1	2,829.8	2,829.8
14+00.00	2,830.87'	2,831.8	2,829.5	2,829.5
15+00.00	2,830.51'	2,831.4	2,829.1	2,829.1
16+00.00	2,830.18'	2,831.1	2,828.8	2,828.8
17+00.00	2,830.23'	2,830.7	2,828.4	2,828.4
18+00.00	2,830.10'	2,830.4	2,828.1	2,828.1
19+00.00	2,829.78'	2,830.0	2,827.7	2,827.7
20+00.00	2,829.46'	2,829.7	2,827.4	2,827.4
21+00.00	2,829.32'	2,829.4	2,827.0	2,827.0
22+00.00	2,829.40'	2,829.0	SCR1226 INTERSECTION	
23+00.00	2,829.76'	2,828.7	2,826.3	2,826.3
24+00.00	2,828.99'	2,828.3	2,826.0	2,826.0
25+00.00	2,827.21'	2,828.0	2,825.6	2,825.6
26+00.00	2,825.92'	2,827.6	2,825.3	2,825.3
27+00.00	2,825.32'	2,827.3	2,824.9	2,824.9
28+00.00	2,825.08'	2,827.0	2,824.7	2,824.7
29+00.00	2,824.88'	2,827.0	2,824.7	2,824.7
30+00.00	2,825.13'	2,826.9	2,824.6	2,824.6
31+00.00	2,825.10'	2,826.9	2,824.6	2,824.6
32+00.00	2,825.34'	2,826.9	2,824.6	2,824.6
33+00.00	2,825.18'	2,826.9	2,824.5	2,824.5
34+00.00	2,826.08'	2,826.8	SCR1224	2,824.5
35+00.00	2,827.71'	2,826.8	2,823.3	2,823.3
36+00.00	2,828.29'	2,827.0	2,823.6	2,823.6
37+00.00	2,828.81'	2,827.2	2,824.9	2,824.9
38+00.00	2,828.74'	2,827.4	2,825.1	2,825.1
39+00.00	2,828.25'	2,827.6	2,825.3	2,825.3
40+00.00	2,827.81'	2,827.8	2,825.5	2,825.5
41+00.00	2,827.39'	2,828.0	2,825.7	2,825.7
42+00.00	2,827.16'	2,828.2	2,825.9	2,825.9

Station	Elevation Existing	Elevation Design	Ditch Elevation (LT)	Ditch Elevation (RT)
43+00.00	2,826.82'	2,828.4	2,826.1	2,826.1
44+00.00	2,826.64'	2,828.6	2,826.3	2,826.3
45+00.00	2,826.64'	2,828.8	2,826.5	2,826.5
46+00.00	2,826.63'	2,829.0	2,826.7	2,826.7
47+00.00	2,827.46'	2,829.4	2,827.1	2,827.1
48+00.00	2,828.72'	2,829.8	2,827.5	2,827.5
49+00.00	2,830.34'	2,830.2	2,827.9	2,827.9
50+00.00	2,831.51'	2,830.6	2,828.2	2,828.2
51+00.00	2,830.94'	2,830.7	2,828.4	2,828.4
52+00.00	2,829.73'	2,830.3	2,828.0	2,828.0
53+00.00	2,828.77'	2,829.5	2,827.1	2,827.1
54+00.00	2,827.91'	2,828.6	2,826.3	2,826.3
55+00.00	2,827.16'	2,827.8	2,825.5	2,825.5
56+00.00	2,825.97'	2,827.0	2,824.7	2,824.7
57+00.00	2,825.07'	2,826.1	2,823.8	2,823.8
58+00.00	2,823.68'	2,825.3	2,823.0	2,823.0
59+00.00	2,822.65'	2,824.5		2,822.2
60+00.00	2,821.43'	2,823.7		2,821.3
61+00.00	2,819.78'	2,822.8		2,819.8
62+00.00	2,818.40'	2,822.0		2,818.7
63+00.00	2,816.46'	2,821.2		2,817.7
64+00.00	2,816.33'	2,820.3		2,817.2
65+00.00	2,816.33'	2,819.8		2,817.0
66+00.00	2,816.32'	2,819.7		2,817.3
67+00.00	2,817.06'	2,820.0		2,817.7
68+00.00	2,818.82'	2,820.2		2,817.9
69+00.00	2,819.90'	2,820.5	2,818.1	2,818.1
70+00.00	2,820.96'	2,820.7	2,818.4	2,818.4
71+00.00	2,821.41'	2,820.8	2,818.5	2,818.5
72+00.00	2,821.19'	2,820.9	2,818.6	2,818.6
73+00.00	2,820.40'	2,820.9	2,818.6	2,818.6
74+00.00	2,820.01'	2,820.7	2,818.4	2,818.4
75+00.00	2,819.36'	2,819.9	2,817.6	2,817.6
76+00.00	2,818.90'	2,818.8	2,816.5	2,816.5
77+00.00	2,817.96'	2,817.7	2,815.4	2,815.4
78+00.00	2,816.68'	2,816.6	2,814.3	2,814.3
79+00.00	2,815.77'	2,815.5	2,813.2	2,813.2
80+00.00	2,814.30'	2,814.4	2,812.1	2,812.1
81+00.00	2,812.25'	2,813.3	2,811.0	2,811.0
82+00.00	2,810.45'	2,812.2		2,809.8
83+00.00	2,809.43'	2,811.1		2,808.8
84+00.00	2,808.41'	2,810.2		2,807.6
85+00.00	2,806.98'	2,809.7		2,806.8

Station	Elevation Existing	Elevation Design	Ditch Elevation (LT)	Ditch Elevation (RT)
86+00.00	2,806.22'	2,809.4		2,806.3
87+00.00	2,805.74'	2,809.0		2,805.9
88+00.00	2,805.32'	2,808.7		2,805.7
89+00.00	2,805.20'	2,808.4		2,805.4
90+00.00	2,805.12'	2,808.2		2,805.1
91+00.00	2,804.47'	2,807.9		2,804.8
92+00.00	2,804.31'	2,807.7		2,804.6
93+00.00	2,804.01'	2,807.4		2,804.2
94+00.00	2,804.29'	2,807.2		2,803.9
95+00.00	2,803.60'	2,806.9		2,803.6
96+00.00	2,803.29'	2,806.7		2,803.4
97+00.00	2,803.27'	2,806.8		2,803.8
98+00.00	2,803.45'	2,806.8		2,803.8
99+00.00	2,803.52'	2,806.9		2,803.9
100+00.00	2,803.82'	2,807.0		2,804.1
101+00.00	2,804.73'	2,807.3		2,804.8
102+00.00	2,805.70'	2,807.8		2,805.5
103+00.00	2,807.76'	2,808.5	2,806.2	2,806.2
104+00.00	2,808.90'	2,809.1	2,806.8	2,806.8
105+00.00	2,809.32'	2,809.6	2,807.3	2,807.3
106+00.00	2,809.02'	2,809.2	2,806.9	2,806.9
107+00.00	2,808.26'	2,808.0	2,805.7	2,805.7
108+00.00	2,807.66'	2,806.8	2,804.4	2,804.4
109+00.00	2,806.99'	2,805.5	2,803.2	2,803.2
110+00.00	2,806.22'	2,804.3	2,801.9	2,801.9
111+00.00	2,805.41'	2,803.0	2,800.7	2,800.7
112+00.00	2,803.62'	2,801.9	2,799.6	2,799.6
113+00.00	2,801.37'	2,800.8	2,798.5	2,798.5
114+00.00	2,800.23'	2,799.7	2,797.4	2,797.4
115+00.00	2,799.01'	2,798.6	2,796.3	2,796.3