

Reconstruction of South County Road 1130

Roadway Improvements to Serve Midland County					
		Quantity	Unit	Unit Price	Total
Base Bid					
Item	Description				
1	Preparation of R.O.W.	66	Sta.		
2	Sawcut Existing Asphalt (full depth)	159	L.F.		
3	Asphalt Excavation - 2.75 inch depth (average)	2,161	C.Y.		
4	Asphalt Haul Off	2,161	C.Y.		
5	Earthwork	16,093	C.Y.		
6	Haul Off	16,093	C.Y.		
7	Subgrade Preparation (Roadway)	38,457	S.Y.		
8	Prime Coat	9,041	Gal.		
9	Flexible Base (Roadway)	12,395	C.Y.		
10	HMA Pavement - 5" thickness - Type D	8,665	Ton		
11	Concrete Pavement at Intersections and Cul de Sac	598	S.Y.		
12	46'x300' Pitched Concrete Pavement Section	1	Ea.		
13	46'x375' Pitched Concrete Pavement Section	1	Ea.		
14	3" HMA on 8" Base Commercial Driveway	70	S.Y.		
15	8" Compacted Base Commercial Driveway	340	S.Y.		
16	8" Compacted Base Residential Driveway	540	S.Y.		
17	6" Concrete Residential Driveways	110	S.Y.		
18	3" HMA on 8" Base Residential Driveway	240	S.Y.		
19	Concrete Pipeline Cap	248	L.F.		
20	Fence	576	L.F.		
21	Reflective Marking (Type 1) 4" Yellow Striped	64	Sta.		
22	Reflective Marking (Type 1) 4" Broken Yellow Striped	64	Sta.		

23	Reflective Marking (Type 1) 4" White Striped	64	Sta.		
24	Reflective Marking (Type 1) 12" Yellow Striped	8	Sta.		
25	18" Stop Bar Pavement Marking	34	L.F.		
26	Surface Preparation for Pavement Marking	64	Sta.		
27	IN SM RD SN SUP&AM TY10BWG(1) SA (P)	21	Ea.		
28	Aluminum Signs	115	S.F.		
29	Mailbox Relocations	13	Ea.		
30	Erosion Control	1	L.S.		
31	Traffic Control	1	L.S.		
32	Mobilization	1	L.S.		
TOTAL BASE BID FOR SCR 1130					
CONSTRUCTION START DATE FOR SCR 1130					
TOTAL CALENDAR DAYS FOR SCR 1130					

Contractor shall notify the Engineer of Record of any discrepancies in quantities prior to the commencement of construction.

* Quantities do not include factors for compaction and expansion.

** Rates used for calculation purposes only:

Prime Coat: 0.3 Gal/SY

HMA Pavement - 3" thickness - Type D: 115 lb/SY*in

Reconstruction of South County Road 1130

Roadway Improvements to Serve Midland County					
		Quantity	Unit	Unit Price	Total
Bid Alternative					
Item	Description				
A9	Flexible Base (Roadway)	-4,186	C.Y.		
A10	HMA Pavement - 5" thickness - Type D	-5,199	Ton		
A33	Tack Coat	9,041	Gal.		
A34	HMA Pavement - 5" thickness - Type B	8,665	Ton		
TOTAL BID ALTERNATIVE FOR SCR 1130					
CONSTRUCTION START DATE FOR SCR 1130					
TOTAL CALENDAR DAYS FOR SCR 1130					

Contractor shall notify the Engineer of Record of any discrepancies in quantities prior to the commencement of construction.

* Quantities do not include factors for compaction and expansion.

** Rates used for calculation purposes only:

Prime Coat: 0.3 Gal/SY

Tack Coat: 0.3 Gal/SY

HMA Pavement - 3" thickness - Type D: 115 lb/SY*in