

## Reconstruction of South County Road 1180

Roadway Improvements to Serve Midland County					
		Quantity	Unit	Unit Price	Total
<b>Base Bid</b>					
Item	Description				
1	Preparation of R.O.W.	106	Sta.		
2	Sawcut Existing Asphalt (full depth)	405	L.F.		
3	Asphalt Excavation - 2.75 inch depth (average)	1,995	C.Y.		
4	Asphalt Haul Off	1,995	C.Y.		
5	Earthwork	15,492	C.Y.		
6	Haul Off	15,492	C.Y.		
7	Subgrade Preparation (Roadway)	43,106	S.Y.		
8	Prime Coat	10,716	Gal.		
9	Flexible Base (Roadway)	13,331	C.Y.		
10	HMA Pavement - 3" thickness - Type D	6,162	Ton		
11	Concrete Pavement at Intersections and Cul de Sac	1,816	S.Y.		
12	32'x250' Pitched Concrete Pavement Section	1	Ea.		
13	32'x225' Pitched Concrete Pavement Section	1	Ea.		
14	8" Compacted Base Commercial Driveway	440	S.Y.		
15	8" Compacted Base Residential Driveway	780	S.Y.		
16	5" Concrete Residential Driveways	480	S.Y.		
17	3" HMA on 8" Base Residential Driveway	250	S.Y.		
18	Concrete Pipeline Cap	242	L.F.		
19	Corner H Braces	6	Ea.		
20	5 Strand Barb Wire Fence with H Braces	1,262	L.F.		
21	Reflective Marking (Type 1) 4" Yellow Striped	22	Sta.		
22	Reflective Marking (Type 1) 4" Broken Yellow Striped	72	Sta.		

23	Reflective Marking (Type 1) 4" White Striped	106	Sta.		
24	18" Stop Bar Pavement Marking	226	L.F.		
25	Surface Preparation for Pavement Marking	106	Sta.		
26	IN SM RD SN SUP&AM TY10BWG(1) SA (P)	39	Ea.		
27	Aluminum Signs	251	S.F.		
28	Mailbox Relocations	13	Ea.		
29	Relocate Powerpole	1	Ea.		
29	Erosion Control	1	L.S.		
30	Traffic Control	1	L.S.		
31	Mobilization	1	L.S.		
<b>TOTAL BASE BID FOR SCR 1180</b>					
<b>CONSTRUCTION START DATE FOR SCR 1180</b>					
<b>TOTAL CALENDAR DAYS FOR SCR 1180</b>					

Contractor shall notify the Engineer of Record of any discrepancies in quantities prior to the commencement of construction.

\* Quantities do not include factors for compaction and expansion.

\*\* Rates used for calculation purposes only:

Prime Coat: 0.3 Gal/SY

HMA Pavement - 3" thickness - Type D: 115 lb/SY\*in

## Reconstruction of South County Road 1180

Roadway Improvements to Serve Midland County		Quantity	Unit	Unit Price	Total
<b>Bid Alternative</b>					
Item	Description				
A1	Mobilization	1	L.S		
<b>TOTAL BID ALTERNATIVE FOR SCR 1180</b>					
<b>CONSTRUCTION START DATE FOR SCR 1180</b>					
<b>TOTAL CALENDAR DAYS FOR SCR 1180</b>					

Contractor shall notify the Engineer of Record of any discrepancies in quantities prior to the commencement of construction.

\* Quantities do not include factors for compaction and expansion.

\*\* Rates used for calculation purposes only:

Prime Coat: 0.3 Gal/SY

Tack Coat: 0.3 Gal/SY

HMA Pavement - 3" thickness - Type D: 115 lb/SY\*in